


**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**

NAME: XTO ENERGY, INC
ADDRESS: 52260 WIK RD KENAI, AK 99611
FACILITY: EAST FORELANDS
LOCATION: 60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISCHARGE NUMBER

<input type="checkbox"/>	CHECK HERE IF NO DISCHARGE
--------------------------	----------------------------

MONITORING PERIOD							
FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2008	8	1		2008	8	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		Average (54-61)	Maximum	Units	Minimum (38-45)	Average (46-53)	Maximum (54-61)	Units				
015 - Produced Water	FLOW	Sample Measurement	0.066564581	0.116676	MGD	***	***	***	***	0	Weekly	Estimate
		Permit Requirement	***	***	***	***	***	***	***	***	Weekly	Estimate
015 - Produced Water PRODUCED SAND		Sample Measurement	***	***	***	No discharge	No discharge	No discharge	***	0	***	***
		Permit Requirement	***	***	***	No discharge	No discharge	No discharge	***	***	***	***
015 - Produced Water OIL & GREASE		Sample Measurement	***	***	***	***	7.75	12	mg/l	0	Weekly	Grab
		Permit Requirement	***	***	***	***	29	42	mg/l	***	Weekly	Grab
015 - Produced Water pH		Sample Measurement	***	***	***	7.6	***	7.8	SU	0	Monthly	Grab
		Permit Requirement	***	***	***	6	***	9	SU	***	Monthly	Grab
015 - Produced Water TAH		Sample Measurement	***	***	***	***	15.222	15.222	mg/l	0	Monthly	Grab
		Permit Requirement	***	***	***	***	24	32	mg/l	***	Monthly	Grab
015 - Produced Water TAqH		Sample Measurement	***	***	***	***	15.382	15.382	mg/l	0	Monthly	Grab
		Permit Requirement	***	***	***	***	Report	Report	mg/l	***	Monthly	Grab
015 - Produced Water TOTAL AMMONIA		Sample Measurement	***	***	***	5.1	5.1	5.1	mg/l	0	Quarterly	Grab
		Permit Requirement	***	***	***	Report	***	Report	mg/l	***	Quarterly	Grab
NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					 Signature			Telephone	Date (YR/MO/DAY)		
Ryan Tunseth HSE&T Coordinator									907 776-2510	9/16/2008		

COMMENTS & EXPLANATION OF ANY VIOLATIONS: 3rd quarter WET testing results shown. Tests completed JULY-08. RESULTS SUBMITTED WITH THIS DMR.

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**


NAME: XTO ENERGY, INC
ADDRESS: 52260 WIK RD
KENAI, AK 99611
FACILITY: EAST FORELANDS
LOCATION: 60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISCHARGE NUMBER

☐ CHECK HERE IF NO DISCHARGE

MONITORING PERIOD

FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2008	8	1		2008	8	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)			NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		Average (54-61)	Maximum (54-61)	Units (54-61)	Minimum (38-45)	Average (46-53)	Maximum (54-61)				Units (54-61)
015 - Produced Water COPPER	Sample Measurement	***	***	***	***	3.98	3.98	ug/l	0	Monthly	Grab
	Permit Requirement	***	***		***	60	90		***	Monthly	Grab
015 - Produced Water MERCURY	Sample Measurement	***	***	***	***	0	0	ug/l	0	Monthly	Grab
	Permit Requirement	***	***		***	0.5	0.8		***	Monthly	Grab
015 - Produced Water MANGANESE	Sample Measurement	***	***	***	***	1.9	1.9	mg/l	0	Monthly	Grab
	Permit Requirement	***	***		***	7.9	15.8		***	Monthly	Grab
015 - Produced Water SILVER	Sample Measurement	***	***	***	***	0.00	0	ug/l	0	Monthly	Grab
	Permit Requirement	***	***		***	46	149		***	Monthly	Grab
015 - Produced Water ZINC	Sample Measurement	***	***	***	***	0.095	0.095	mg/l	0	Monthly	Grab
	Permit Requirement	***	***		***	3.1	6.1		***	Monthly	Grab
015 - Produced Water WET - <i>Mytilus galloprovincialis</i> (invertebrate)	Sample Measurement	***	***	***	***	625	625	TUc	0	Quarterly	Grab
	Permit Requirement	***	***		***	1209	2425		***	Quarterly	Grab
NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					 Signature		Telephone	Date (YR/MO/DAY)		
Ryan Tunseth HSE&T Coordinator								907 776-2510	9/16/2008		
COMMENTS & EXPLANATION OF ANY VIOLATIONS: 3rd quarter WET testing results shown. Tests completed JULY-08. RESULTS SUBMITTED WITH THIS DMR.											